



# PASSAU IMPEX

*Electro Surgical Instruments*



[www.passauimpex.com](http://www.passauimpex.com)





## EUROPEAN BIPOLAR FORCEPS



**McPHERSON**  
PIE-501



**McPHERSON**  
PIE-502 (Angled)



**JEWELER #5**  
PIE-503




**JEWELER #5**  
PIE-504 (Angled)



**JEWELER #7**  
PIE-505



**ADSON**  
PIE-506



Cat #	Description	Tip (mm)	Size
PIE-501	McPherson	0.5	4" (10.2cm)
PIE-502	McPherson (Angled)	0.5	4" (10.2cm)
PIE-503	Jeweler #5	Micro,0.7	4 1/2" (11.5cm)
PIE-504	Jeweler #5 (Angled)	Micro,0.7	4 1/2" (11.5cm)
PIE-505	Jeweler #7	Micro,0.7	4 1/2" (11.5cm)
PIE-506	Adson	1.0	4 3/4" (12.1cm)
PIE-507	Adson	1.0	6" (15.0cm)



## EUROPEAN BIPOLAR FORCEPS



**STRAIGHT**  
PIE-508



**STRAIGHT**  
PIE-509



**STRAIGHT**  
PIE-510



**STRAIGHT**  
PIE-511  
PIE-512



**STRAIGHT**  
(Angled)  
PIE-513



**STRAIGHT**  
(Angled)  
PIE-514




**STRAIGHT**  
(Angled)  
PIE-515



**STRAIGHT**  
(Angled)  
PI-516  
PIE-517

Cat #	Description	Tip (mm)	Size
PIE-508	Straight	0.5,1.0,2.0	6" (15.0cm)
PIE-509	Straight	0.5,1.0,2.0	7" (18.0cm)
PIE-510	Straight	0.5,1.0,2.0	7 <sup>3</sup> / <sub>4</sub> " (20.0cm)
PIE-511	Straight	0.5,1.0,2.0	8 <sup>3</sup> / <sub>4</sub> " (22.0cm)
PIE-512	Straight	0.5,1.0,2.0	9 <sup>1</sup> / <sub>2</sub> " (24.0cm)
PIE-513	Straight (Angled)	0.5,1.0,2.0	6" (15.0cm)
PIE-514	Straight (Angled)	0.5,1.0,2.0	7" (18.0cm)
PIE-515	Straight (Angled)	0.5,1.0,2.0	7 <sup>3</sup> / <sub>4</sub> " (20.0cm)
PIE-516	Straight (Angled)	0.5,1.0,2.0	8 <sup>3</sup> / <sub>4</sub> " (22.0cm)
PIE-517	Straight (Angled)	0.5,1.0,2.0	9 <sup>1</sup> / <sub>2</sub> " (24.0cm)





# EUROPEAN BIPOLAR FORCEPS



**BAYONET**  
PIE-518

**BAYONET**  
PIE-519

**BAYONET**  
PIE-520  
PIE-521  
PIE-522

**BAYONET**  
(Angled up)  
PIE-523

**BAYONET**  
(Angled up)  
PIE-524

**BAYONET**  
(Angled up)  
PIE-525  
PIE-526  
PIE-527

**BAYONET**  
(Angled down)  
PIE-528

**BAYONET**  
(Angled down)  
PIE-529

**BAYONET**  
(Angled down)  
PIE-530  
PIE-531  
PIE-532

Cat #	Description	Tip (mm)	Size
PIE-518	Bayonet	0.5,1.0,2.0	6 1/2" (16.5cm)
PIE-519	Bayonet	0.5,1.0,2.0	7" (18.0cm)
PIE-520	Bayonet	0.5,1.0,2.0	7 3/4" (20.0cm)
PIE-521	Bayonet	0.5,1.0,2.0	8 3/4" (22.0cm)
PIE-522	Bayonet	0.5,1.0,2.0	9 1/2" (24.0cm)
PIE-523	Bayonet (Angled up)	0.5,1.0,2.0	6 1/2" (16.5cm)
PIE-524	Bayonet (Angled up)	0.5,1.0,2.0	7" (18.0cm)
PIE-525	Bayonet (Angled up)	0.5,1.0,2.0	7 3/4" (20.0cm)
PIE-526	Bayonet (Angled up)	0.5,1.0,2.0	8 3/4" (22.0cm)
PIE-527	Bayonet (Angled up)	0.5,1.0,2.0	9 1/2" (24.0cm)
PIE-528	Bayonet (Angled down)	0.5,1.0,2.0	6 1/2" (16.5cm)
PIE-529	Bayonet (Angled down)	0.5,1.0,2.0	7" (18.0cm)
PIE-530	Bayonet (Angled down)	0.5,1.0,2.0	7 3/4" (20.0cm)
PIE-531	Bayonet (Angled down)	0.5,1.0,2.0	8 3/4" (22.0cm)
PIE-532	Bayonet (Angled down)	0.5,1.0,2.0	9 1/2" (24.0cm)



## IRRIGATION BIPOLAR FORCEPS



**BAYONET**  
PIE-533 - I R  
18cm



**BAYONET**  
PIE-534 - I R  
20cm



**STRAIGHT**  
PIE-535 - I R  
20cm



**STRAIGHT**  
PIE-536 - I R  
16cm



## BIPOLAR HAND - SWITCH FORCEPS



PIE-537 - HS



PIE-538 - HS



PIE-539 - HS



PIE-540 - HS

Cat #	Description	Tip (mm)	Size
PIE-537 HS	Jeweler # 4	0.5	4 1/2" (11.5cm)
PIE-538 HS	Semkin	0.75	5 1/2" (14.0cm)
PIE-539 HS	Jansen Bayonet	0.75	7 1/2" (19.1cm)
PIE-540 HS	Scoville-Greenwood	1.5	7 3/4" (19.7cm)

## BIPOLAR IRRIGATION FORCEPS



PIE-541 - IR



PIE-542 - IR



PIE-543 - IR



PIE-544 - IR



PIE-545 - IR

Cat #	Description	Tip (mm)	Size
PIE-541 IR	Hardly Bayonet	1.5	8 1/2" (21.6cm)
PIE-542 IR	Jansen Bayonet	1.5	7 1/2" (19.1cm)
PIE-543 IR	Scoville-Greenwood	1.5	7 3/4" (19.7cm)
PIE-544 IR	Gerald Bayonet	1.0	7 1/4" (18.4cm)
PIE-545 IR	Cushing	1.0	6 1/4" (15.9cm)



## MONOPOLAR HAND - SWITCH FORCEPS

**POTTS-SMITH**  
PIE-546 - HS  
PIE-547 - HS

**POTTS-SMITH**  
PIE-548 - HS


**JANSEN BAYONET**  
PIE-549 - HS

**JANSEN BAYONET**  
PIE-550 - HS  
PIE-551 - HS

Cat #	Description	Tip (mm)	Size
PIE-546 HS	Potts - Smith	2.0	7" (18.0cm)
PIE-547 HS	Potts - Smith	2.0	8 1/4" (21.0cm)
PIE-548 HS	Potts - Smith	2.0	9 1/2" (24.0cm)
PIE-549 HS	Jansen Bayonet	2.0	5 1/2" (14.0cm)
PIE-550 HS	Jansen Bayonet	2.0	7 1/2" (19.0cm)
PIE-551 HS	Jansen Bayonet	2.0	8 1/2" (21.0cm)



# NEUROSURGICAL BIPOLAR FORCEPS



**JANSEN  
BAYONET**  
PIE-552-A  
PIE-552-B

**JANSEN  
BAYONET**  
PIE-553-A  
PIE-553-B  
PIE-554-A  
PIE-554-B

**MALIS**  
PIE-555-A  
PIE-555-B

**YASARGIL**  
PIE-557-A  
PIE-557-B

**SCOVILLE  
GREENWOOD**  
PIE-556-A  
PIE-556-B

**HARDY  
BAYONET**  
PIE-558-A  
PIE-558-B

**HARDY  
BAYONET  
(Angled)**  
PIE-559-A  
PIE-559-B

Cat #	Description	Style	Tip (mm)	Size
PIE-552 A	Jansen Bayonet	Insulated	0.5,1.0,1.5	6" (15.2cm)
PIE-552 B	Jansen Bayonet	Non-Insulated	0.5,1.0,1.5	6" (15.2cm)
PIE-553 A	Jansen Bayonet	Insulated	0.5,1.0,1.5	7" (17.8cm)
PIE-553 B	Jansen Bayonet	Non-Insulated	0.5,1.0,1.5	7" (17.8cm)
PIE-554 A	Jansen Bayonet	Insulated	0.5,1.0,1.5	8" (20.4cm)
PIE-554 B	Jansen Bayonet	Non-Insulated	0.5,1.0,1.5	8" (20.4cm)
PIE-555 A	Malis	Insulated	0.5,1.0,1.5	7" (17.8cm)
PIE-555 B	Malis	Non-Insulated	0.5,1.0,1.5	7" (17.8cm)
PIE-556 A	Scoville-Greenwood	Insulated	1.0,1.5	7 1/2" (19.1cm)
PIE-556 B	Scoville-Greenwood	Non-Insulated	1.0,1.5	7 1/2" (19.1cm)
PIE-557 A	Yasargil	Insulated	1.0,1.5	7 3/4" (19.7cm)
PIE-557 B	Yasargil	Non-Insulated	1.0,1.5	7 3/4" (19.7cm)
PIE-558 A	Hardy Bayonet	Insulated	1.0	8 1/2" (21.6cm)
PIE-558 B	Hardy Bayonet	Non-Insulated	1.0	8 1/2" (21.6cm)
PIE-559 A	Hardy Bayonet (Ang)	Insulated	1.0	8 1/2" (21.6cm)
PIE-559 B	Hardy Bayonet (Ang)	Non-Insulated	1.0	8 1/2" (21.6cm)





# PLASTIC & RECONSTRUCTIVE BIPOLAR FORCEPS



**ADSON**  
PIE-560-A  
PIE-560-B



**SEMKIN**  
PIE-561-A  
PIE-561-B



**CUSHIN**  
PIE-562-A  
PIE-562-B



**CUSHIN**  
PIE-563-A  
PIE-563-B




**CUSHIN**  
(Gursh)  
PIE-564-A  
PIE-564-B



**GERALD**  
(Str)  
PIE-565-A  
PIE-565-B



**GERALD**  
(Crv)  
PIE-566-A  
PIE-566-B



**GERALD BAYONET**  
PIE-567-A  
PIE-567-B

Cat #	Description	Style	Tip (mm)	Size
PIE-560 A	Adson	Insulated	1.0	4 <sup>3</sup> / <sub>4</sub> "(12.1cm)
PIE-560 B	Adson	Non-Insulated	1.0	4 <sup>3</sup> / <sub>4</sub> "(12.1cm)
PIE-561 A	Semkin	Insulated	0.5	5 <sup>1</sup> / <sub>2</sub> "(14.0cm)
PIE-561 B	Semkin	Non-Insulated	0.5	5 <sup>1</sup> / <sub>2</sub> "(14.0cm)
PIE-562 A	Cushing	Insulated	1.0,1.5	6 <sup>1</sup> / <sub>2</sub> "(20.4cm)
PIE-562 B	Cushing	Non-Insulated	1.0,1.5	6 <sup>1</sup> / <sub>2</sub> "(20.4cm)
PIE-563 A	Cushing	Insulated	1.0,2.0	7"(17.8cm)
PIE-563 B	Cushing	Non-Insulated	1.0,2.0	7"(17.8cm)
PIE-564 A	Cushing (Gursh)	Insulated	2.0	7"(17.8cm)
PIE-564 B	Cushing (Gursh)	Non-Insulated	2.0	7"(17.8cm)
PIE-565 A	Gerald (Str)	Insulated	1.0,1.5	7"(17.8cm)
PIE-565 B	Gerald (Str)	Non-Insulated	1.0,1.5	7"(17.8cm)
PIE-566 A	Gerald (Crv)	Insulated	1.0,1.5	7"(17.8cm)
PIE-566 B	Gerald (Crv)	Non-Insulated	1.0,1.5	7"(17.8cm)
PIE-567 A	Gerald Bayonet	Insulated	1.0,1.5	7 <sup>1</sup> / <sub>4</sub> "(18.4cm)
PIE-567 B	Gerald Bayonet	Non-Insulated	1.0,1.5	7 <sup>1</sup> / <sub>4</sub> "(18.4cm)



## OPHTHALMIC BIPOLAR FORCEPS



**McPHERSON (Str)**  
PIE-568-A PI-568-B



**McPHERSON (crv)**  
PIE-569-A PI-569-B



**COAPTAION NADLER**  
PIE-570-A PI-570-B




**COAPTAION**  
PIE-571-A PI-571-B



**JEWELER # 4**  
PIE-572-A PI-572-B

Cat #	Description	Style	Tip (mm)	Size
PIE-568 A	McPherson (Str)	Insulated	0.5	3 1/2" (9.0cm)
PIE-568 B	McPherson (Str)	Non-Insulated	0.5	3 1/2" (9.0cm)
PIE-569 A	McPherson (Crv)	Insulated	0.5	3 1/2" (9.0cm)
PIE-569 B	McPherson (Crv)	Non-Insulated	0.5	3 1/2" (9.0cm)
PIE-570 A	CoaptationNadler	Insulated	0.5	4" (10.2cm)
PIE-570 B	CoaptationNadler	Non-Insulated	0.5	4" (10.2cm)
PIE-571 A	Coaptation	Insulated	0.5	4 1/4" (10.8cm)
PIE-571 B	Coaptation	Non-Insulated	0.5	4 1/4" (10.8cm)
PIE-572 A	Jeweler # 5	Insulated	Micro 0.5	4 1/2" (11.5cm)
PIE-572 B	Jeweler # 5	Non-Insulated	Micro 0.5	4 1/2" (11.5cm)



**JEWELER # 5**  
PIE-573-A PI-573-B



**TENZEL**  
PIE-574-A PI-574-B



**JEWELER # 7**  
PIE-575-A PI-575-B



**IRIS (Str)**  
PIE-576-A PI-576-B



**IRIS (Crv)**  
PIE-577-A PI-577-B

Cat #	Description	Style	Tip (mm)	Size
PIE-573 A	Jeweler # 4	Insulated	Micro,0.5	4 1/2" (11.5cm)
PIE-573 B	Jeweler # 4	Non-Insulated	Micro,0.5	4 1/2" (11.5cm)
PIE-574 A	Tenzel	Insulated	Micro,0.5	4" (10.2cm)
PIE-574 B	Tenzel	Non-Insulated	Micro,0.5	4" (10.2cm)
PIE-575 A	Jeweler # 7	Insulated	Micro,0.5	4 1/2" (11.5cm)
PIE-575 B	Jeweler # 7	Non-Insulated	Micro,0.5	4 1/2" (11.5cm)
PIE-576 A	Iris (Str)	Insulated	1.5	4 1/4" (10.8cm)
PIE-576 B	Iris (Str)	Non-Insulated	1.5	4 1/4" (10.8cm)
PIE-577 A	Iris (crv)	Insulated	1.5	4 1/4" (10.8cm)
PIE-577 B	Iris (crv)	Non-Insulated	1.5	4 1/4" (10.8cm)



# ELECTROSURGICAL INSTRUMENTS FOR GYNECOLOGY



**GRAVES VAGINAL SPECULUM**  
WITH SMOKE EVACUATION TUBE  
PIE-578 Small  
PIE-579 Medium  
PIE-580 Large



**PEDERSON VAGINAL SPECULUM**  
WITH SMOKE EVACUATION TUBE  
PIE-581 Small  
PIE-582 Medium  
PIE-583 Large



**VU-MAX SPECULUM**  
WITH DISPOSABLE TUBING  
PIE-584 Graves (Medium)  
PIE-585 Pederson (Medium)



**VU-MORE (Graves)**  
SPECULUM WITH  
DISPOSABLE TUBING  
PIE-586 Medium  
PIE-587 Large



**CUSCO SPECULUM**  
PIE-588 Small  
PIE-589 Medium  
PIE-590 Large



**COLLIN SPECULUM**  
WITH SMOKE EVACUATION  
TUBE  
PIE-591 Small  
PIE-592 Medium  
PIE-593 Large



## ELECTROSURGICAL INSTRUMENTS FOR GYNECOLOGY



**RIGBY RETRACTOR**  
PIE-594



**GELPI RETRACTOR**  
PIE-595





**LATERAL RETRACTOR  
(WIDE OPEN)**  
PIE-596



**LATERAL VAGINAL  
RETRACTOR**  
PIE-597



**KOGAN ENDOCERVICAL  
SPECULUM**  
PIE-598





## LASER SURGERY INSTRUMENTS FOR GYNECOLOGY



**GRAVES SPECULUM**  
WITH SMOKE EVACUATION  
TUBE  
PIE-601 Small  
PIE-602 Medium  
PIE-603 Large



**PEDERSON SPECULUM**  
WITH SMOKE EVACUATION  
TUBE  
PIE-604 Small  
PIE-605 Medium  
PIE-606 Large



**COLLIN SPECULUM**  
WITH SMOKE EVACUATION  
TUBE  
PIE-607 Small  
PIE-608 Medium  
PIE-609 Large



**LATERAL VAGINAL  
RETRACTOR**  
PIE-610



**KOGAN ENDOCERVICAL  
SPECULUM**  
PIE-611



## **ELECTROSURGICAL INSTRUMENTS FOR GYNECOLOGY**



**RING FORCEPS**  
PIE-612 (25cm)



**CAMPION FORCEPS**  
PIE-614 (25cm)



**SINGLE TOOTH TENACULUM**  
PIE-613 (24cm)



**SCHROEDER TENACULUM**  
PIE-615



## **ELECTROSURGICAL INSTRUMENTS FOR GYNECOLOGY**



**DRESSING FORCEPS**  
PIE-616 (21cm)  
PIE-617 (25cm)



**TISSUE FORCEPS**  
PIE-618 (21cm)  
PIE-619 (25cm)



**IRIS HOOK**  
PIE-620



**EMMETT HOOK**  
PIE-621



**STRAIGHT HOOK**  
PIE-622 (25cm)



**TWO-PRONG HOOK**  
PIE-623 (25cm)



**THREE-PRONG HOOK**  
PIE-624 (25cm)



# LASER SURGERY INSTRUMENTS FOR GYNECOLOGY



**SCHROEDER TENACULUM**  
PIE-625



**GELPI RETRACTOR**  
PIE-626



**RIGBY RETRACTOR**  
PIE-627



**IRIS HOOK**  
PIE-628



**EMMETT HOOK**  
PIE-629



**STRAIGHT HOOK**  
PIE-630



**TWO-PRONG HOOK**  
PIE-631



**THREE-PRONG HOOK**  
PIE-632



# DIATHERMY INSTRUMENTS (ENGLISH FITTING)



**ADSON**  
PIE-633



**MICINDOE**  
PIE-634



**GILLIES**  
PIE-635



**DISSECTING**  
PIE-636



**ADSON BAYONET**  
PIE-637

**TURNER-WARWICK**  
PIE-639 (Crv)



**WILSON HEY FORCEPS**  
PIE-640

**WILSON HEY FORCEPS**  
PIE-641 (Crv)



**TURNER-WARWICK**  
PIE-638



Cat #	Description	Tip (mm)	Size
PIE-633	Adson	1.0	4 3/4" (12.0cm)
PIE-634	Micindoe	1.0	6" (15.0cm)
PIE-635	Gillies (1x2)	-	6" (15.0cm)
PIE-636 A	Dissecting Forceps	2.0 mm	6" (15.0cm)
PIE-636 B	Dissecting Forceps	2.0 mm	7" (15.0cm)
PIE-636 C	Dissecting Forceps	2.0 mm	8 1/4" (21.0cm)
PIE-636 D	Dissecting Forceps	2.0 mm	9 1/2" (24.1cm)
PIE-637	Adson Bayonet	2.0 mm	7 1/2" (19.1cm)
PIE-638 A	Turner-Warwick Scissors (Str)	-	7" (17.8cm)
PIE-639 A	Turner-Warwick Scissors (Crv)	-	7" (17.8cm)
PIE-638 B	Turner-Warwick Scissors (Str)	-	9" (23.0cm)
PIE-639 B	Turner-Warwick Scissors (Crv)	-	9" (23.0cm)
PIE-640 A	Wilson Hey Forceps (Str)	-	7" (17.8cm)
PIE-641 A	Wilson Hey Forceps (Crv)	-	7" (17.8cm)
PIE-640 B	Wilson Hey Forceps (Str)	-	9" (23.0cm)
PIE-641 B	Wilson Hey Forceps (Crv)	-	9" (23.0cm)



## DIATHERMY INSTRUMENTS (EUROPEAN FITTING)

**POTTS-SMITH**  
PIE-642  
PIE-643  
PIE-644

**GERALD (1x2)**  
PIE-645

**BAYONET FORCEPS**  
PIE-646  
PIE-647

**SURGICAL SCISSORS**  
PIE-649 (Crv)  
PIE-651 (Crv)

**SURGICAL SCISSORS**  
PIE-648  
PIE-650

**ARTERY FORCEPS**  
PIE-652  
PIE-654

**ARTERY FORCEPS**  
PIE-653 (Crv), PI-655 (Crv)

Cat #	Description	Tip (mm)	Size
PIE-642	Potts-Smith	2.0 mm	7" (17.8cm)
PIE-643	Potts-Smith	2.0 mm	8 1/4" (21.1cm)
PIE-644	Potts-Smith	2.0 mm	9 1/2" (24.1cm)
PIE-645	Gerald (1x2)	-	7" (17.8cm)
PIE-646	Bayonet Forceps	2.0 mm	6 1/4" (16.0cm)
PIE-647	Bayonet Forceps	2.0 mm	8 1/4" (21.0cm)
PIE-648	Surgical Scissors (Str)	-	7" (17.8cm)
PIE-649	Surgical Scissors (Crv)	-	7" (17.8cm)
PIE-650	Surgical Scissors (Str)	-	8" (20.0cm)
PIE-651	Surgical Scissors (Crv)	-	8" (20.0cm)
PIE-652	Artery Forceps (Str)	-	7" (17.8cm)
PIE-653	Artery Forceps (Crv)	-	7" (17.8cm)
PIE-654	Artery Forceps (Str)	-	8" (20.0cm)
PIE-655	Artery Forceps (Crv)	-	8" (20.0cm)



# BIPOLAR ELECTRODES



**STRAIGHT**  
 PIE-656  
 PIE-657  
 PIE-658  
 PIE-659

**ANGLED**  
 PIE-660  
 PIE-661  
 PIE-662

**ANGLED (Upward Tip)**  
 PIE-663  
 PIE-664

**ANGLED 45°**  
 PIE-665

**ANGLED 90°**  
 PIE-666

Cat #	Description	Size
PIE-656	Straight	18.0cm
PIE-657	Straight	20.0cm
PIE-658	Straight	22.0cm"
PIE-659	Straight	27.0cm"
PIE-660	Angled #7	18.0cm"
PIE-661	Angled	20.0cm"
PIE-662	Angled	22.0cm"
PIE-663	Angled (Upward Tip)	16.5cm"
PIE-664	Angled (Upward Tip)	20.0cm"
PIE-665	Angled 45 Degree	19.0cm"
PIE-666	Angled 90 Degree	16.0cm"



## LAPAROSCOPIC ELECTRODES

### WITHOUT SUCTION



L-HOOK ELECTRODE (36 cm)  
PIE-667



J-HOOK ELECTRODE (36 cm)  
PIE-668



NEEDLE ELECTRODE (36 cm)  
PIE-669



SPATULA ELECTRODE (36 cm)  
PIE-670



BALL ELECTRODE (36 cm)  
PIE-671

### WITH SUCTION



L-HOOK ELECTRODE (36 cm)  
PIE-672



J-HOOK ELECTRODE (36 cm)  
PIE-673



NEEDLE ELECTRODE (36 cm)  
PIE-674



SPATULA ELECTRODE (36 cm)  
PIE-675



BALL ELECTRODE (36 cm)  
PIE-676



HANDLE WITHOUT  
SUCTION



HANDLE WITH  
SUCTION



## ELECTRODES (SINGLE USE)



**BLADE ELECTRODE**  
PIE-677 (2.4mm)



**BLADE ELECTRODE (Crv)**  
PIE-678 (2.4mm)



**NEEDLE ELECTRODE**  
PIE-669 (2.4mm)



**NEEDLE ELECTRODE (Crv)**  
PIE-670 (2.4mm)



**BALL ELECTRODE**  
PIE-671 (2.4mm)



**BALL ELECTRODE**  
PIE-672 (2.4mm)



**BALL ELECTRODE (3mm)**  
PIE-673



**BALL ELECTRODE (3mm)**  
PIE-674



**BALL ELECTRODE (4mm)**  
PIE-675



**BALL ELECTRODE (4mm)**  
PIE-676



**BALL ELECTRODE (5mm)**  
PIE-677



**BALL ELECTRODE (5mm)**  
PIE-678



**NEEDLE ELECTRODE (Shaft 13cm)**  
PIE-679 (2.4mm)



**BALL ELECTRODE (2.4mm Shaft 13cm)**  
PIE-680



**BALL ELECTRODE (2.4mm Shaft 13cm)**  
PIE-681



**SQUARE LOOP ELECTRODE (1.0cm X 0.8cm)**  
PIE-682 (2.4mm)



**LOOP ELECTRODE (1.5cm X 0.8cm)**  
PIE-683 (2.4mm)



**LOOP ELECTRODE (2.0cm X 0.8cm)**  
PIE-684 (2.4mm)



## ELECTROSURGICAL CABLES



**SILICON EUROPEAN BIPOLAR CABLE** 10' (3.0m)  
Forceps Connector - Standard European Fitting  
Generator Connector - Standard Banana Plug  
PIE-685



**SILICON MONOPOLAR CABLE** 10' (3.0m)  
Forceps Connector - Screw Type  
Generator Connector - Standard Bovie Plug Fitting  
PIE-686



**SILICON BIPOLAR CABLE** 10' (3.0m)  
Forceps Connector - Standard 2 Pin Fitting  
Generator Connector - Standard Banana Plug  
PIE-687



**SILICON EUROPEAN BIPOLAR CABLE** 10' (3.0m)  
Forceps Connector - Standard European Fitting  
Generator Connector - Martin Type  
PIE-688



**SILICON MONOPOLAR ENDOSCOPIC CABLE** 10' (3.0m)  
Forceps Connector - 4mm Fitting  
Generator Connector - Standard Bovie Plug Fitting  
PIE-689




**SILICON DIATHERMY CABLE** 10' (3.0m)  
Forceps Connector - 4.8mm  
Generator Connector - Standard Bovie Plug Fitting  
PIE-690



**SILICON DIATHERMY CABLE** 10' (3.0m)  
Forceps Connector - 4.8mm  
Generator Connector - Standard Banana Plug  
PIE-691



## ELECTROSURGICAL PENCILS



FINGER - SWITCH REUSEABLE  
HAND CONTROL, 3m SILICON  
CABLE WITH BLADE ELECTRODE  
PIE-692

SINGLE USE FINGER - SWITCH  
HAND CONTROL, 3m CABLE  
WITH BLADE ELECTRODE  
(NON-STERILE)  
PIE-693

ELECTRODE HANDLE REUSEABLE  
FOOT CONTROL, 3m SILICON CABLE  
PIE-694

[www.passauimpex.com](http://www.passauimpex.com)



**PASSAU IMPEX**

P.O.Box # 1002  
C 21-23 Nishtar Road,  
Small Industrial Estate, Sialkot-51310 Pakistan.  
Tel: +92-52-3555 682 Fax: +92-52-3550 718  
E-mail: [info@passauimpex.com](mailto:info@passauimpex.com)  
Web: [www.passauimpex.com](http://www.passauimpex.com)